



LEGEND:

1. REFRIGERATOR
2. PHLEBOTOMY CHAIR
3. COMPUTER SET
4. CLINICAL CENTRIFUGE
5. MICROSCOPE
6. SPECTROPHOTOMETER (OR ITS EQUIVALENT)
(for Clinical Chemistry)
7. HEMATOCRIT CENTRIFUGE
8. HEMATOCRIT READER
9. PIPETTE SHAKER
10. WATER BATH (OR ITS EQUIVALENT)
(for Clinical Chemistry)
11. TRASH BIN
12. SHARPS CONTAINER
13. EMERGENCY SHOWER AND EYE WASH
14. STAINING RACK

NOTES:

- SCHEME APPLICABLE FOR NON-INSTITUTION-BASED SECONDARY CLINICAL LABORATORIES WITH MINIMUM SERVICE CAPABILITY. IF ADDITIONAL SERVICES AND TESTS WILL BE INTRODUCED, APPROPRIATE AREAS/SPACE INTENDED FOR SUCH SERVICES, AND ITS CORRESPONDING EQUIPMENT, FIXTURE AND SPACE FOR STAFF, SHALL BE ADDED (E.G. DSSM / NAAT FOR TB FOR GOVERNMENT-OWNED CLINICAL LABORATORIES AND COAGULATION STUDIES FOR HOSPITAL-BASED CLINICAL LABORATORIES).
- THE SIZE OF THE CLINICAL WORKING AREA AND ITS SECTION MAY VARY, DEPENDING ON THE TESTS PERFORMED, EQUIPMENT, FURNITURES, FIXTURES, INSTRUMENTS AND SUPPLIES, AND PERSONNEL INVOLVED.
- FOR INTITUTION-BASED CLINICAL LABORATORIES, BUSINESS AREA AND SUPPORT SERVICES AREAS MAY BE SHARED WITH THE FACILITY THE CLINICAL LABORATORY IS AFFILIATED WITH, PROVIDED THOSE ARE IDENTIFIED AND ACCESSIBLE FROM THE CLINICAL LABORATORY.
- MICROBIOLOGY SECTION, IF NOT ROOM TYPE, SHALL BE EQUIPPED WITH A BIOSAFETY CABINET CLASS II-A.

SAMPLE FLOOR PLAN

SCALE 1:75 m



Republic of the Philippines
DEPARTMENT OF HEALTH
CENTRAL OFFICE
San Lazaro Compound, Rizal Avenue, Dda. Cruz, Manila City

TITLE / SHEET CONTENT:

**SAMPLE FLOOR PLAN FOR
GENERAL CLINICAL LABORATORY
(SECONDARY SERVICE CATEGORY)**

APPROVED BY:

ATTY. NICOLAS B. LUTERO III, CESO III
DIRECTOR IV,
HEALTH FACILITIES AND SERVICES REGULATORY BUREAU

SHEET NO. 1 OF 1

REVISION 0.1
/ /2022

PREPARED BY:
HFSRB-SDD